

PCE Americas Inc. 711 Commerce Way Suite 8 Jupiter FL-33458 USA From outside US: +1 Tel: (561) 320-9162 Fax: (561) 320-9176

info@pce-americas.com

PCE Instruments UK Ltd.
Units 12/13
Southpoint Business Park
Ensign way
Hampshire / Southampton
United Kingdom, SO31 4RF
From outside UK: +44
Tel: (0) 2380 98703 0
Fax: (0) 2380 98703 9
info@pce-instruments.com

www.pce-instruments.com/english www.pce-instruments.com

#### Gas-leak-detector GA 10

## **Environmental Meter PCE-GA 10**

# Gas leak detector for flammable gases / Optical, acoustic and haptic alarm / Battery operation / Simple LED display

The gas leak detector PCE-GA 10 is used to check for leaks in gas pipes and connections. This gas leak detector is suitable for many flammable gases. The gas leak detector has 5 LEDs that inform the gas intensity. In addition to the visual information, the gas leak detector has an audible and haptic alarm. This means that, depending on the level, the gas leak detector emits an alarm tone and vibrates at the same time.

The leak detector is therefore ideal for detecting sporadic gases. The gas leak detector is therefore of great help to employees who want to inspect plants during a plant tour or inspect engines, supply lines or gas lines. The gas leak detector is supplied with a rechargeable battery. The sensor of the gas leak detector has an average life of approx. 5 years and can be exchanged without any problems.

- LED display
- For flammable gases
- 400 mm / 15.7 in sensor
- Optical, acoustic and haptic alarm
- Fast response time
- Rechargeable battery

### **Specifications:**

**Testable gases** Acetaldehyde

Ammonia
Benzene
Ethan
Ethanol
Ethylene
Formaldehyde
Hexane
ISO-butane
Methane
Propane
P-xylene

Hydrogen sulfide

Toluene Hydrogen

### And compounds in which these gases occur

Measuring range (methane) 0 ... 10000 ppm Sensitivity (methane) < 50 ppm

Display stages High: 100 / 400 / 700 /1000 ppm

Low: 1000 / 4000 / 7000 / 10000 ppm

Response time < 2 sHeating time < 2 s Alarm types Optical, acoustic, haptic Power supply 3.7V Li-ion battery Lifetime sensor On average, 5 years

Sensor length 400 mm

Dimensions 211 x 70 x 45 mm / 8.3 x 2.7 x 1.7 in

Weight ca. 400 g / < 1 lb

## **Delivery scope:**

1 x Environmental Meter PCE-GA 10

1 x Power adapter 5V / 1 A (100 ... 240V AC)

1 x Carry bag

1 x User manual